


I claim:

1. A polymer containing a fatty group pendent to the polymer backbone having the formula:

5



where C is a saturated or unsaturated alkyl group with  
between about 6 and 22 carbons and R and R' are the same or  
different and are independently chosen from the group  
containing linear or branched, saturated or unsaturated,  
alkyl, alkenyl, alkylamine, -NH-, -NR-, or arylalkyl with 0  
to 10 carbon atoms and where A and A' are the same or  
15 different and are independently chosen from the group  
containing

[-(C=O)O-, -O(C=O)NH-, -HN(C=O)NH-, -O-, -OH, -CH<sub>2</sub>OH, -CH<sub>3</sub>,  
-(C=O)OH, -O((C=O)CO)<sub>m</sub>-, -O((C=O)C=C)<sub>m</sub>-, -N(C=O)-,  
-O(C=O)C<sub>6</sub>H<sub>4</sub>(C=O)-, -O(C=O)D-, -OC(C-OH)D-, -(O-SiH<sub>2</sub>)<sub>m</sub>-,  
-(CH<sub>2</sub>)<sub>l</sub>-] where D is linear or branched, saturated or  
unsaturated, alkyl, alkenyl, alkylamine or alkylaryl with 0  
20 to 10 carbon atoms, and where l and m are integers greater  
than zero.

2. A polymer according to claim 1 wherein A and A' are the same or different and are independently chosen from the group containing  $[-(C=O)O-, -O(C=O)NH-, -HN(C=O)NH-, -O-$   
5  $, -OH, -CH_2OH, CH_3, -(C=O)OH, -O((C=O)C=C)_m-, -N(C=O)-,$   
 $-(O-SiH_2)_m-, -(CH_2)_m-]$  wherein m is an integer greater than zero.


10 3. The polymer of claim 1 wherein the pendant fatty group has an occurrence rate of from 5 ppm to 100%.

4. A surface coating comprising a polymer according to claim 1.

15 5. A cast part comprising a polymer according to claim 1.

6. An extruded film or fiber comprising a polymer according to claim 1.

20 7. A polymer containing a fatty group pendant to the polymer backbone having the formula:



where C is a saturated or unsaturated alkyl group with  
 5 between about 6 and 22 carbons and R and R' are the same or  
 different and are independently chosen from the group  
 containing linear or branched, saturated or unsaturated,  
 alkyl, alkenyl, alkylamine, -NH-, -NR-, or arylalkyl with 0  
 to 10 carbon atoms and where A and A' are the same or  
 10 different and are independently chosen from the group  
 containing  
 $[-(C=O)O-, -O(C=O)NH-, -HN(C=O)NH-, -O-, -OH, -CH_2OH, -CH_3,$   
 $-(C=O)OH, -O((C=O)CO)_m-, -O((C=O)C=C)_m-, -N(C=O)-,$   
 $-O(C=O)C_6H_4(C=O)-, -O(C=O)D-, -OC(C-OH)D-, -(O-SiH_2)_m-,$   
 $-(CH_2)_l-]$  where D is linear or branched, saturated or  
 15 unsaturated, alkyl, alkenyl, alkylamine or alkylaryl with 0  
 to 10 carbon atoms, and where l and m are integers greater  
 than zero.

8. A polymer according to claim 7 wherein A and A' are the same or different and are independently chosen from the group containing  $[-(C=O)O-, -O(C=O)NH-, -HN(C=O)NH-, -O-$ ,  
5  $-OH, -CH_2OH, CH_3, -(C=O)OH, -O((C=O)C=C)_m-, -N(C=O)-,$   
 $-(O-SiH_2)_m-, -(CH_2)_m-]$  wherein m is an integer greater than zero.


10 9. The polymer of claim 7 wherein the pendant fatty group has an occurrence rate of from 5 ppm to 100%.

10. A surface coating comprising a polymer according to  
claim 7.

15 11. A cast part comprising a polymer according to claim  
7.

12. An extruded film or fiber comprising a polymer  
20 according to claim 7.

13. A polymer containing a fatty group pendant to the polymer backbone, said polymer having the formula:



5

Where C is a saturated or unsaturated alkyl group with between about 6 and 22 carbons and R and R' are the same or different and are independently chosen from the group containing  $[-(\text{C}=\text{O})\text{O}-, -\text{O}(\text{C}=\text{O})\text{NH}-, -\text{HN}(\text{C}=\text{O})\text{NH}-, -\text{O}-, -\text{OH}, -\text{CH}_2\text{OH}, \text{CH}_3, -(\text{C}=\text{O})\text{OH}, -\text{O}((\text{C}=\text{O})\text{C}=\text{C})_m-, -\text{N}(\text{C}=\text{O})-, -(\text{O}-\text{SiH}_2)_m-, -(\text{CH}_2)_n-]$  where m is an integer greater than zero.

10

14. A surface coating comprising a polymer according to claim 13.


15

15. A cast part comprising a polymer according to claim 13.

16. An extruded film or fiber comprising a polymer according to claim 13.

20

17. A polymer containing a fatty group pendant to the polymer backbone, said polymer having the formula:



Where C is a saturated or unsaturated alkyl group with between about 6 and 22 carbons and R and R' are the same or different and are independent chosen from the group containing  $[-(C=O)O-, -O(C=O)NH-, -HN(C=O)NH-, -O-, -OH, -CH_2OH, CH_3, -(C=O)OH, -O((C=O)C=C)_m-, -N(C=O)-, -(O-SiH_2)_m-, -(CH_2)_n-]$  where m is an integer greater than zero.

10


18. A surface coating comprising a polymer according to  
15 claim 17.

19. A cast part comprising a polymer according to claim 17.

20. An extruded film or fiber comprising a polymer according to claim 17.

5 21. A polymer containing a fatty group pendant to the polymer backbone, said polymer having the formula:

10



Where C is a saturated or unsaturated alkyl group with  
15 between about 6 and 22 carbons and R an R' are the same or different and are independently chosen from the group containing  $[-(C=O)O-, -O(C=O)NH-, -HN(C=O)NH-, -O-, -OH, -CH_2OH, CH_3, -(C=O)OH, -O((C=O)C=C)_m-, -N(C=O)-, -(O-SiH_2)_m-, -(CH_2)_n-]$  where m is an integer greater than  
20 zero.


22. A surface coating comprising a polymer according to  
claim 21.

23. A cast part comprising a polymer according to claim 21.

5

24. An extruded film or fiber comprising a polymer  
according to claim 21.

25. A polymer containing a fatty group pendant to the  
polymer backbone, said polymer having the formula:



15 Where C is a saturated or unsaturated alkyl group with  
between about 6 and 22 carbons and R an R' are the same or  
different and are independently chosen from the group  
containing  $[-(\text{C}=\text{O})\text{O}-, -\text{O}(\text{C}=\text{O})\text{NH}-, -\text{HN}(\text{C}=\text{O})\text{NH}-, -\text{O}-, -\text{OH},$


-CH<sub>2</sub>OH, CH<sub>3</sub>, -(C=O)OH, -O((C=O)C=C)<sub>m</sub>-, -N(C=O)-, -(O-SiH<sub>2</sub>)<sub>m</sub>-, -(CH<sub>2</sub>)<sub>n</sub>-] where m is an integer greater than zero.

5 26. A surface coating comprising a polymer according to claim 25.

27. A cast part comprising a polymer according to claim 25.

10 28. An extruded film or fiber comprising a polymer according to claim 25.

29. A polymer containing a fatty group pendant to the polymer backbone, said polymer having the formula:



Where C is a saturated or unsaturated alkyl group with between about 6 and 22 carbons and R and R' are the same or different and are independently chosen from the group

containing  $[-(C=O)O-, -O(C=O)NH-, -HN(C=O)NH-, -O-, -OH, -CH_2OH, CH_3, -(C=O)OH, -O((C=O)C=C)_m-, -N(C=O)-, -(O-SiH_2)_m-, -(CH_2)_n-]$  where  $m$  is an integer greater than zero.


5 30. A surface coating comprising a polymer according to  
claim 29.

31. A cast part comprising a polymer according to claim 29.

10 32. An extruded film or fiber comprising a polymer according to  
claim 29.

33. A polymer containing a fatty group pendant to the  
polymer backbone, said polymer having the formula:

15




Where C is a saturated or unsaturated alkyl group with between about 6 and 22 carbons and R and R' are the same or different and are independent chosen from the group containing  $[-(C=O)O-, -O(C=O)NH-, -HN(C=O)NH-, -O-, -OH, -CH_2OH, CH_3, -(C=O)OH, -O((C=O)C=C)_m-, -N(C=O)-, -(O-SiH_2)_m-, -(CH_2)_n-]$  where m is an integer greater than zero.

34. A surface coating comprising a polymer according to claim 33.

10 35. A cast part comprising a polymer according to claim 33.

36. An extruded film or fiber comprising a polymer according to claim 33.

15 37. A polymer containing a fatty group pendant to the polymer backbone having the formula:



where E is an anion, C is a saturated or unsaturated alkyl group with between about 6 and 22 carbons and R and R' are the same or different and are independently chosen from the group containing linear or branched, saturated or unsaturated, alkyl, alkenyl, alkylamine, -NH-, -NR-, or arylalkyl with 0 to 10 carbon atoms and where A and A' are the same or different and are independently chosen from the group containing

[ $-(C=O)O-$ ,  $-O(C=O)NH-$ ,  $-HN(C=O)NH-$ ,  $-O-$ ,  $-OH$ ,  $-CH_2OH$ ,  $-CH_3$ ,  
 $-(C=O)OH$ ,  $-O((C=O)CO)_m-$ ,  $-O((C=O)C=C)_m-$ ,  $-N(C=O)-$ ,  
 $-O(C=O)C_6H_4(C=O)-$ ,  $-O(C=O)D-$ ,  $-OC(C-OH)D-$ ,  $-(O-SiH_2)_m-$ ,  
 $-(CH_2)_l-$ ] where D is linear or branched, saturated or unsaturated, alkyl, alkenyl, alkylamine or alkylaryl with 0 to 10 carbon atoms, and where l and m are integers greater than zero.

38. A polymer according to claim 37 wherein A and A' are the same or different and are independently chosen from the group containing [ $-(C=O)O-$ ,  $-O(C=O)NH-$ ,  $-HN(C=O)NH-$ ,  $-O-$ ,  
 $-OH$ ,  $-CH_2OH$ ,  $CH_3$ ,  $-(C=O)OH$ ,  $-O((C=O)C=C)_m-$ ,  $-N(C=O)-$ ,  
 $-(O-SiH_2)_m-$ ,  $-(CH_2)_m-$ ] wherein m is an integer greater than zero.


39. The polymer of claim 37 wherein the pendant fatty group has an occurrence rate of from 5 ppm to 100%.

5 40. A surface coating comprising a polymer according to claim 37.

41. A cast part comprising a polymer according to claim 37.

10 42. An extruded film or fiber comprising a polymer according to claim 37.

43. A polymer containing a fatty group pendant to the polymer backbone having the formula:



15

where E is an anion, C is a saturated or unsaturated alkyl group with between about 6 and 22 carbons and R and R' are the same or different and are independently chosen from the group containing linear or branched, saturated or unsaturated, alkyl, alkenyl, alkylamine, -NH-, -NR-, or arylalkyl with 0 to 10 carbon atoms and where A and A' are the same or different and are independently chosen from the group containing

[ $-(C=O)O-$ ,  $-O(C=O)NH-$ ,  $-HN(C=O)NH-$ ,  $-O-$ ,  $-OH$ ,  $-CH_2OH$ ,  $-CH_3$ ,  $-(C=O)OH$ ,  $-O((C=O)CO)_m-$ ,  $-O((C=O)C=C)_m-$ ,  $-N(C=O)-$ ,  $-O(C=O)C_6H_4(C=O)-$ ,  $-O(C=O)D-$ ,  $-OC(C-OH)D-$ ,  $-(O-SiH_2)_m-$ ,

$-(CH_2)_l-$ ] where D is linear or branched, saturated or unsaturated, alkyl, alkenyl, alkylamine or alkylaryl with 0 to 10 carbon atoms, and where l and m are integers greater than zero.

44. A polymer according to claim 43 wherein A and A' are the same or different and are independently chosen from the group containing [ $-(C=O)O-$ ,  $-O(C=O)NH-$ ,  $-HN(C=O)NH-$ ,  $-O-$ ,  $-OH$ ,  $-CH_2OH$ ,  $CH_3$ ,  $-(C=O)OH$ ,  $-O((C=O)C=C)_m-$ ,  $-N(C=O)-$ , -

$(O-SiH_2)_m-$ ,  $-(CH_2)_m-$ ] wherein  $m$  is an integer greater than zero.

45. The polymer of claim 43 wherein the bromo-nitro group  
5 has an occurrence rate of from 5 ppm to 100%.

46. A surface coating comprising a polymer according to  
claim 43.

10 47. A cast part comprising a polymer according to claim 43.

48. An extruded film or fiber comprising a polymer according to  
claim 43.

15 49. A polymer comprising a monomer having at least one pendant  
fatty group, either saturated or unsaturated, branched or linear  
from about 6 to 22 carbons wherein the polymer is the reaction  
product of a polyisocyanate with a polyol, the polyol or  
polyisocyanate containing the pendant fatty group.

20 50. A polymer comprising a monomer having at least one pendant  
fatty group, either saturated or unsaturated, branched or linear  
from about 6 to 22 carbons wherein the polymer is the reaction

product of a polyisocyanate with a polyamine, the polyamine or polyisocynate containing the pendant fatty group.

51. A polymer comprising a monomer having at least one pendant fatty group, either saturated or unsaturated, branched or linear from about 6 to 22 carbons wherein the polymer is the reaction product of a polycarboxylic acid with a polyol, with the polyol or polycarboxylic containing the pendant fatty group.

10